AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				ODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHA	ASE REQ. NO.	5. PROJECT I	NO. (If applicable)
6. ISSUED BY CODE		7. ADMINISTERED BY (If	other than Item 6)	CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street	, county, State and ZIP Code	e)	9B. DATED (SE	E ITEM 11)	TION NO.
		10B. DATED (SEE ITEM 11)			
	ACILITY CODE	AMENDMENTS OF SO	DUCITATIONS		
Offers must acknowledge receipt of this amendment prior (a)By completing items 8 and 15, and returning or (c) By separate letter or telegram which includes a refer THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS amendment your desire to change an offer already submit solicitation and this amendment, and is received prior to tl 12. ACCOUNTING AND APPROPRIATION DATA (If requi	copies of the amendment; (ence to the solicitation and a 5 PRIOR TO THE HOUR AND ted, such change may be ma ne opening hour and date spe	(b) By acknowledging receipt amendment numbers. FAILUI D DATE SPECIFIED MAY RES ade by telegram or letter, prov	of this amendment of RE OF YOUR ACKNO	n each copy of t WLEDGMENT T OF YOUR OFFE	he offer submitted; O BE RECEIVED AT R. If by virtue of this
13. THIS ITEM (ONLY APPLIES TO MC	DDIFICATION OF CON		S.	
CHECK ONE A. THIS CHANGE ORDER IS ISSUED PU NO. IN ITEM 10A.		DER NO. AS DESCRIBE		E MADE IN THE	CONTRACT ORDER
B. THE ABOVE NUMBERED CONTRACT appropriation date, etc.) SET FORTH C. THIS SUPPLEMENTAL AGREEMENT I	IN ITEM 14, PURSUANT TO	THE AUTHORITY OF FAR		as changes in p	aying office,
D. OTHER (Specify type of modification		WITO ACTIONITY OF			
E. IMPORTANT: Contractor is not,	is requiredto signthi	is documentand returi	n co	opiesto the i	ssuingoffice.
14. DESCRIPTION OF AMENDMENT/MODIFICATION (O	ganized by UCF section hea	dings, including solicitation/co	ontract subject matter	r where feasible.	J.
Except as provided herein, all terms and conditions of the	document referenced in Item	n 9A or 10A, as heretofore cl	nanged, remains unch	nanged and in ful	l force and effect.
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF	CONTRACTING OFF	FICER (Type or p	rint)
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF A			16C. DATE SIGNED
(Signature of person authorized to sign)		(Signature	(Signature of Contracting Officer)		

CHANGES TO THE SPECIFICATIONS

1. <u>Replacement Sections</u> - Replace the following section with the accompanying new section of the same number and title, bearing the notation "ACCOMPANYING AMENDMENT NO. 0001 TO SOLICITATION NO. DACA63-02-B-0001:"

SECTION 09915 COLOR SCHEDULE

CHANGES TO THE DRAWINGS

2. <u>Replacement Drawings</u>.- Replace the drawings listed below with the attached new drawings of the same number, bearing the notation "AM #0001":

```
h01.cal h01 STORMWATER CONTROL PLAN I (BASE BID)
h02.cal h02 STORMWATER CONTROL PLAN II (BASE BID)
h03.cal h03 STORMWATER CONTROL PLAN III (BASE BID + OPTION #2)
h04.cal h04 STORMWATER CONTROL PLAN IV (BASE BID + OPTION #4)
h05.cal h05 STORMWATER CONTROL PLAN V (BASE BID + OPTION #2 + #4)
h06.cal h06 STORMWATER CONTROL PLAN VI (BASE BID)
h07.cal h07 STORMWATER CONTROL PLAN VII (BASE BID + OPTION #1)
h08.cal h08 STORMWATER CONTROL PLAN VIII (BASE BID + OPTION #4)
h09.cal h09 STORMWATER CONTROL PLAN IX (BASE BID + OPTION #1 & #4)
h10.cal h10 STORMWATER CONTROL PLAN X (BASE BID)
h11.cal h11 STORMWATER CONTROL PLAN XI (BASE BID + OPTION #1)
h12.cal h12 STORMWATER CONTROL PLAN XII (BASE BID + OPTION #3)
h13.cal h13 STORMWATER CONTROL PLAN XIII (BASE BID + OPTION #1 &#3)
aa06.cal AA06 ROOF PLAN
ia02.cal IA02 SIGNAGE PLACEMENT
ia03.cal IA03 SIGNAGE SCHEDULE
ia04.cal IA04 SIGNAGE DETAILS
ia05.cal IA05 ROOM FINISH SCHEDULE
ma03.cal MA03 First Floor HVAC Plan
ma09.cal MA09 HVAC Control Legend
ma18.cal MA18 Plumbing Details
ab22.cal AB22 WALL SECTIONS I
ab26.cal AB26 STAIR PLANS AND SECTIONS
ib07.cal IB07 FIRST FLOOR SIGNAGE PLACEMENT PLAN - ZONE B1
ib08.cal IB08 SECOND FLOOR SIGNAGE PLACEMENT PLAN - ZONE B1
ib09.cal IB09 THIRD FLOOR SIGNAGE PLACEMENT PLAN - ZONE B1
ib10.cal IB10 FIRST FLOOR SIGNAGE PLACEMENT PLAN - ZONE B1
ib11.cal IB11 SECOND SIGNAGE PLACEMENT PLAN - ZONE B2
ib12.cal IB12 THIRD FLOOR SIGNAGE PLACEMENT PLAN - ZONE B2
ib14.cal IB14 SIGNAGE DETAILS
ib15.cal IB15 ROOM FINISH SCHEDULE
sb13.cal SB13 ROOF FRAMING SECTIONS I
mb08.cal MB08 Enlarged HVAC Floor Plans and Sections
ac05.cal AC05 REFLECTED CEILING PLAN
ac22.cal AC22 ROOM FINISH SCHEDULE
ic03.cal IC03 SIGNAGE PLACEMENT PLAN
ic04.cal IC04 SIGNAGE PLACEMENT PLAN
ic05.cal IC05 SIGNAGE SCHEDULE
sc01.cal SC01 STRUCT. NOTES & MISC. DETAILS
sc02.cal SC02 PARTIAL FOUNDATION PLAN -1
sc06.cal SC06 FOUNDATION SECTIONS -1
sc07.cal SC07 FOUNDATION SECTIONS -2
```

```
sc08.cal SC08 FOUNDATION SECTIONS -3
sc10.cal SC10 PARTIAL ROOF PLAN -1
sc11.cal SC11 PARTIAL ROOF PLAN -2
sc12.cal SC12 ROOF FRAMING SECTIONS -1
sc13.cal SC13 ROOF FRAMING SECTIONS -2
sc15.cal SC15 MISC. FRAMING DETAILS
mc04.cal MC04 HVAC Floor Plan - Typical Building
mc08.cal MC08 HVAC Control Legend
ad03.cal AD03 REFLECTED CEILING PLAN
ad05.cal AD05 ACOUSTICAL PANELS PLAN
id02.cal ID02 SIGNAGE PLACEMENT
id03.cal ID03 SIGNAGE SCHEUDLE AND DETAILS
id04.cal ID04 ROOM FINISH SCHEDULE
sd03.cal SD03 FOUNDATION LAN
sd09.cal SD09 ROOF FRAMING PLAN
sd11.cal SD11 ROOF FRAMING SECTIONS II
sd12.cal SD12 ROOF FRAMING SECTIONS III
md03.cal MD03 HVAC Floor Plan
md10.cal MD10 HVAC Control Legend
me08.cal ME08 Chilled Water and Condenser Water Piping Schematic/Detail
me10.cal ME10 HVAC Control Legend
```

END OF AMENDMENT

Am#0001 Page 3 of 3

SECTION 09915

COLOR SCHEDULE 06/93 AMENDMENT 0001

PART 1 GENERAL

1.1 GENERAL

This section covers only the color of the exterior and interior materials and products that are exposed to view in the finished construction. The word "color" as used herein includes surface color and pattern. Requirements for quality and method of installation are covered in other appropriate sections of the specifications. Specific locations where the various materials are required are shown on the drawings. Items not designated for color in this section may be specified in other sections. When color is not designated for items, the Contractor shall propose a color for approval.

1.2 SUBMITTALS

Government approval is required for submittals with a "G" designation; submittals not having a "G" designation are for information only. When used, a designation following the "G" designation identifies the office that will review the submittal for the Government. The following shall be submitted in accordance with Section 01330 SUBMITTAL PROCEDURES:

SD-04 Samples

Color Schedule; G

THREE (3) sets of color boards, 60 days after the Contractor is given Notice to proceed, complying with the following requirements:

- a. Color boards shall reflect all actual finish textures, patterns, and colors required for this contract.
- b. Materials shall be labeled with the finish type, manufacturer's name, pattern, and color reference.
- c. Samples shall be on size A4 or 8-1/2 by 11 inch boards with a maximum spread of size A1 or 25-1/2 by 33 inches for foldouts.
- d. Samples for this color board are required in addition to samples requested in other specification sections.
- e. Color boards shall be submitted to the following addresses for approval:

DESIGN BRANCH ARCHITECTURAL SECTION FORT WORTH DISTRICT

PART 2 PRODUCTS

2.1 REFERENCE TO MANUFACTURER'S COLOR

Where color is shown as being specific to one manufacturer, an equivalent

FHBC2

color by another manufacturer may be submitted for approval. Manufacturers and materials specified are not intended to limit the selection of equal colors from other manufacturers.

2.2 COLOR SCHEDULE

The color schedule lists the colors, patterns and textures required for exterior and interior finishes, including both factory applied and field applied colors.

2.2.1 Exterior Walls

Exterior wall colors shall apply to exterior wall surfaces including recesses at entrances and projecting vestibules. Conduit shall be painted to closely match the adjacent surface color. Wall color shall be provided to match the colors listed below.

a. Brick:

ACME; DOE SKIN

b. Mortar: Standard

f. Insulation and Finish System:
 STO; 20 908

2.2.2 Exterior Trim

Exterior trim shall be provided to match the colors listed below.

a. Doors and Door Frames:

AM1

T101; SHALL MATCH GRAHAM ARCHITECTURAL PRODUCTS, RIVER ROUGE RED T202; SHALL MATCH GRAHAM ARCHITECTURAL PRODUCTS, ANTIQUE BRONZE (MED)

b. Windows (mullion, muntin, sash, trim, and sill):

AM1

D101; GRAHAM ARCHITECTURAL PRODUCTS; RIVER ROUGE RED

D202; GRAHAM ARCHITECTURAL PRODUCTS; ANTIQUE BRONZE (MED)

- d. Fascia, Metal Siding, and Exposed Accessories MBCI; ALMOND
- e. Downspouts, Gutter, Louvers, and Flashings:
 TO MATCH STANDING SEAM ROOF; MBCI, ALMOND
- f. Handrails:

AM1 TO MATCH SHERWIN WILLIAMS SUNDRIED TOMATO RB SW2915

g. Soffits and Ceilings: STO; 20 908

h. Signage:

BASE STANDARD

i. Overhangs:

TO MATCH STANDING SEAM ROOF; MBCI, ALMOND

j. Caulking and Sealants:

TO MATCH ADJACENT MATERIAL

2.2.3 Exterior Roof

Roof color shall apply to exterior roof surfaces including sheet metal flashings and copings, mechanical units, roof trim, pipes, conduits, electrical appurtenances, and similar items. Roof color shall be provided to match the colors listed below.

a. Metal:

MBCI; ALMOND

- b. Shingles: [____].
- c. EPDM: [____].

2.2.4 Interior Floor Finishes

Flooring materials shall be provided to match the colors listed below.

- a. Carpet: [____].
- b. Carpet Tile:

F101; INTERFACE, WIND, CANYON 4240 F102; INTERFACE, EARTH, CANYON 4224

c. AM1 Vinyl Sheet/Composition Tile:

F201; ARMSTRONG, PERSPECTIVE, 34313 CANYON GOLD 600 X 600mm F202; ARMSTRONG, IMPERIAL TEXTURE STANDARD 51809 DESERT BEIGE

g. Quarry Tile:

AM1

F501; DAL-TILE, DIABLO RED, QT01, ABRASIVE

h. Ceramic Tile:

AM1

F301; DAL-TILE, KEYSTONES, SPICE 50 X 50mm D022

i. Porcelain Tile:

AM1

F401; DAL-TILE - TAJAH, PANTERA BEIGE TJ02 300x300mm F402; DAL-TILE - TAJAH, AUTUMN MIST, RED TS 95 (BAND) F403; DAL-TILE - GOLD RUSH, GOLDEN NUGGET 5208 ABRASIVE

F404; DAL-TILE - BASALTO, BEIGE BS02, 300x300mm

F405; DAL-TILE - BASALTO, BROWN BS05, 300x300mm

j. Grout:

AM1

FOR F401/F402 - MAPEI, IVORY, MARFILL 39 FOR F403 - MAPEI, CHAMOIS 05

FHBC2

FOR F404/F405 - MAPEI, CHAMOIS 05 FOR F501 - MAPEI, TERRA COTTA 37

n. Concrete: STANDARD GRAY, BROOM FINISH.

2.2.5 Interior Base Finishes

Base materials shall be provided to match the colors listed below.

a. Resilient Base and Edge Strips:

AM1

B101; JOHNSONITE, TIGHTLOCK, CORONADO 65

B102; JOHNSONITE, COVE, SILK 129

b. Quarry Tile:

AM1

B401; DAL-TILE, DIABLO RED, Q3565

c. Ceramic Tile:

AM1

B201; DAL-TILE, KEYSTONES, MB-4C, SPICE D022

d. Porcelain Tile:

AM1

B301; DAL-TILE - TAJAH, PANTERA BEIGE TJ02

B302; DAL-TILE - GOLD RUSH GOLDEN NUGGETT 5208

B303; DAL-TILE - BASALTO, BROWN S36C9TM 150x300mm

e. Grout:

AM1

FOR B201 - MAPEI, CHAMOIS 05

FOR B301/B303 - MAPEI, CHAMOIS 05

FOR B303 - MAPEI TERRA COTTA 37

2.2.6 Interior Wall Finishes

Interior wall color shall apply to the entire wall surface, including reveals, vertical furred spaces, grilles, diffusers, electrical and access panels, and piping and conduit adjacent to wall surfaces unless otherwise specified. Items not specified in other paragraphs shall be painted to match adjacent wall surface. Wall materials shall be provided to match the colors listed below.

a. Paint:

AM1

W101; ZOLATONE, METAL, 2ML-C1009

W102; POLYMYX, P4M-C1124

W103; SHERWIN WILLIAMS, SUNDEW SW1121

W701; SHERWIN WILLIAMS, SUNDEW SW1121

b. Vinyl Wall Covering:

W201; VICRTEX, SUNDANCE, METALLIC ROAN 3D21-58

W202; EVANS & BROWN, NEBULA, BAROQUE PERAL N421-30

W203; EVANS & BROWN, FACADE, CHAI TEA F521-44

d. Ceramic Tile:

AM1

W401; DAL-TILE; KEYSTONES, HONEY D440 50x50mm (FIELD)

W402; DAL-TILE; KEYSTONES, SPICE D022 50x50mm (BAND)

W403; DAL-TILE; FLAG MURAL

e. Ceramic Tile Grout:

AM1

MAPEI - CHAMOIS

f. Acoustical Wall PANELS:

W501; PANEL SOLUTIONS

FABRIC; MAHARAM, TEK-WALL, FISSION 395870

g. AM 1 PORCELAIN TILE

W301; DAL-TILE, TAJAHM PANTERA BEIGE TJ02 300x300mm

W302; DAL-TILE, TAJAH, AUTUMN MIST RED TS95

W303; DAL-TILE, GOLD RUSH, GOLDEN NUGGET 5208

W304; DAL-TILE, GOLD RUSH, 5292 DECORATIVE BORDER

W305; DAL-TILE, BASALTO, BEIGE BS02 150x150mm

W306; DAL-TILE, BASALTO, BROWN BS05 150x150mm

h. AM1 GROUT FOR PORCELAIN TILE

FOR W301/W302 - MAPEI, IVORY/MARFILL 39

FOR W303/W304 - MAPEI, CHAMOIS 05

FOR W305/W306 - AMPEI, CHAMOIS 05

2.2.7 Interior Ceiling Finishes

Ceiling colors shall apply to ceiling surfaces including soffits, furred down areas, grilles, diffusers, registers, and access panels. Ceiling color shall also apply to joist, underside of roof deck, and conduit and piping where joists and deck are exposed and required to be painted. Ceiling materials shall be provided to match the colors listed below.

a. Acoustical Tile and Grid:

ъм1

C301; ARMSTRONG - ULTIMA, BEVELED TEGLAR W/SUPRAFINE 14mm EXPOSED TEE GRID/ WHITE

b. Paint:

FHBC2

AM1

C201; SHERWIN WILLIAMS, ECHELON ECRU SW1122 C401; SHERWIN WILLIAMS, ECHELON ECRU SW1122

C. AM1 METAL PAN CEILING

C501; ARMSTRONG, METALWORKS, VECTOR WHITE

2.2.8 Interior Trim

Interior trim shall be provided to match the colors listed below.

a. Doors:

AM1

D201; GRAHAM ARCHITECTUAL PRODUCTS, RIVER ROUGE RED

D202; GRAHAM ARCHITECTURAL PRODUCTS, ANTIQUE BRONZE (MED)

b. Door Frames:

AM1

T201; GRAHAM ARCHITECTURAL PRODUCTS, RIVER ROUGE RED T202; GRAHAM ARCHITECTURAL PRODUCTS, ANTIQUE BRONZE (MED)

- c. Windows (mullion, muntin, sash, trim, and stool): GRAHAMS ARCH. PRODUCTS, RIVER ROUGE RED
- d. Window Sills:

AM1

SHERWIN WILLAIMS, SUNDEW SW1121

2.2.9 Interior Window Treatment

Window treatments shall be provided to match the colors listed below.

a. Horizontal Blinds:

AM1

LEVOLOR, 25MM, CHAMOIS 207

b. Window Shades:

AM1

MECHO, BLACK/BROWN 2104, BASKETWEAVE

2.2.10 Interior Miscellaneous

Miscellaneous items shall be provided to match the colors listed below.

a. Toilet Partitions and Urinal Screen:

AM1

SANTANA, POLY-MARBLE 525

b. Plastic Laminate:

AM1

SOLDIER COMMUNITY BUILDING

LAUNDRY ROOM COUNTER

PL-1; WILSONART, BEIGE NEBULA 4624-60

CABINETS IN STORAGE A111

PL-2; WILSONART, NATURAL TIGRES 4669-60

BARRACKS

KITCHEN CABINET/DRESSING AREA

PL-3; WILSONART, GILDED MARQUERTRY 7918-38

q. Corner Guards:

AM1

KENMARK

CLEAR ARCYLIC

- h. Wall Switch Handles and Standard Receptacle Bodies:
- i. Electrical Device Cover Plates and Panels: IVORY
- j. Casework:

AM1

SOLDIER COMMUNITY BUILDING

RECEPTION DESK/LOBBY A102

FRONT; WOOD STAINED TO MATCH SHERWIN WILLIAMS WOOD CLASSICS BURNISHED WALNUT SW3119-K COUNTERTOP; US STONE, AVANZA, ABRUZZO 131

KITCHEN CABINET

FRONT; WOOD STAINED TO MATCH SHERWIN WILLIAMS WOOD CLASSICS BURNISHED WALNUT SW3119-K COUNTERTOP; US STONE, AVANZA, ABRUZZO 131

SHELVES TO BE PAINTED; SHERWIN WILLIAMS SUNDEW SW1121

MAILROOF SHELF ROOM A113
18 GAUGE STAINLESS STEEL

BARRACKS

KITCHEN CABINET/DRESSING AREA

FRONT; WOOD STAINED TO MATCH SHERWIN WILLIAMS WOOD CLASSICS BURNISHED WALNUT SW3119-K

COUNTERTOP; WILSONART, GILDED MARQUERTRY 7918-38 SHELVES TO BE PAINTED TO MATCH SHERWIN WILLIAMS SUNDDEW SW1121

COMPANY OPERATION BUILDINGS

RECEPTION DESK/LOBBY

FRONT; WOOD STAINED TO MATCH SHERWIN WILLIAMS WOOD CLASSICS BURNISHED WALNUT SW3119-K

COUNTERTOP; US STONE, AVANZA, ABRUZZO 131

SHELVES TO BE PAINTED TO MATCH SHERWIN WILLIAMS SUNDEW SW1121

PART 3 EXECUTION (Not Applicable)

-- End of Section --